# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: SteriCleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Cleaning agent

Intended purpose: Solution ready for use for cleaning of sterilizing chambers,

instrument trays and steel surfaces.

Uses advised against: None at intended use.

Note: The product is intended for professional users.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH

Mooswiesenstraße 9

D-78112 St. Georgen (Germany) Telephone: +49 7725 9392-0 Telefax: +49 7725 9392-91 E-mail: alpro@alpro-medical.de Internet: www.alpro-medical.com

E-mail address for the competent person

responsible for the safety data sheet: doku@alpro-medical.de

1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0

Monday – Friday from 08:00 am to 04:30 pm (UTC+1); for chemical information and legal information on

hazardous substances only

Poison centre: +49 761 19240

Poisoning information centre, Freiburg, Germany

(24 h / 7 d), English is spoken

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Flam. Liq. 3; H226	On basis of test data (Flash point)	
Eye Irrit. 2; H319	Calculation method	

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

### 2.2. Label elements

Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:



Signal word: Warnir

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

Hazard components

for labelling:

H-phrases: H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

P-phrases: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

No further hazards known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical characterisation: Mixture of substances listed below with non-hazardous additions in

aqueous solution.

### **Hazardous ingredients**

Chemical name		Classification in accordance with Regulation (EC) No 1272/2008	Weight %
Propan-2-ol	CAS No: 67-63-0 EC No: 200-661-7 Index No: 603-117-00-0 REACH Registration No: 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	≥ 15 - < 20

Full text of hazard classes and H-phrases: see SECTION 16.1.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!

Following inhalation: Move affected person into fresh air and keep still and warm. In case of

continued complaints seek medical advice.

Following skin contact: Wash skin immediately with plenty of water and soap. In case of skin

reactions, consult a physician.

Following eye contact: Flush eyes immediately with flowing water for 10 to 15 minutes holding

eyelids apart. Remove contact lenses, if present and easy to do. Consult an

ophthalmologist.

Following ingestion: Rinse mouth with water. Let drink plenty of water. Do not induce vomiting.

Consult a physician immediately.

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder,

carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Do not breathe vapours. Remove all sources of ignition. Provide adequate ventilation. Special danger of slipping by leaked/spilled product. Evacuate danger area. Observe emergency plans. Consult experts.

### For emergency responders

Use personal protective equipment. See SECTION 8.2.

#### 6.2. Environmental precautions

Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

#### Containment

For large spills, dyke spilled material or otherwise contain material to ensure runoff does not reach a waterway. Cover or seal drains.

### Cleaning up

Wipe up small amounts with absorbent material (e.g. cloth, fleece). Absorb large amounts with liquid-binding material (sand, diatomaceous earth, universal binder, sawdust). Collect in suitable, closed containers for disposal. Clean contaminated surfaces thoroughly.

#### Other information

Inappropriate containment and cleaning methods are not known.

# 6.4. Reference to other sections

Information on safe handling see SECTION 7.1.

Information on personal protective equipment see SECTION 8.2.

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0
Print date: 23.10.2020 Replaces version: 1.0

Information on disposal see SECTION 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### **Precautions**

Avoid contact with skin and eyes. Avoid breathing aerosols and vapours. Keep away from sources of ignition. Provide adequate ventilation. Keep container tightly closed. Fill refill packages only in labelled original bottles.

### Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from food and drink.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep only in the original container. Keep container tightly

closed and kept upright to prevent any leakage.

Advice on common storage: Not necessary

Further information on storage conditions: Not necessary

Storage class ([DE] TRGS 510): LGK 3 Flammable liquids

### 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

# Industry and sector specific guidance

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with

disinfectants); Issue: September 2014;

Source: GMBl 2014 page 1294-1307 of 13.10.2014 [No 63]; www.baua.de

[DE] DGUV rules 107-002 (former BGR 206) - Disinfection works in health service

Issue: July 1999; Source: www.dguv.de/publikationen

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

	Limit values						
Country	Long term (8 hours)		Short term (15 minutes)		Legal basis	Remarks	
	ppm	mg/m³	ppm	mg/m³			
Propan-2-ol (CAS No: 67-63-0)							
EU						no limit value specified	
UK	400	999	500	1250	EH40		

Used abbreviations, symbols, numerals and explanations in column "Remarks"

\_

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

### **Biological limit values**

Country	Parameter	Limit value	Test material	Sampling time	Legal basis
Propan-2-ol (CAS No: 67-63-0)					
	Acetone	25 mg/l	Whole	End of exposition, resp. end of shift	TRGS 903
Germany			blood		
	Acetone	25 mg/l	Urine	End of exposition, resp. end of shift	TRGS 903

#### Information on monitoring procedures

BS EN 482:2012-04-30; Title: Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents;

British version of EN 482:2012

BS EN 689:1996-04-15; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy; British version of EN 689:1995

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents; British version of EN 14042:2003

#### 8.2. Exposure controls

### **Appropriate engineering controls**

### Technical and organisational protective measures

The eyewash station (or eyewash bottle) must be located near the workplace.

### Personal protective equipment

Eye/face protection: Safety glasses with side protection according to EN 166

Skin protection:

Hand protection: Protective gloves according to EN 374 are recommended

Splash guard:

Disposable gloves made of nitrile rubber (thickness 0.11 mm)

Permanent contact (> 480 min):

Protective gloves made of nitrile rubber (thickness 0.40 mm)

Other skin protection: Not necessary when used as intended.

Respiratory protection: Not necessary when used as intended.

Thermal hazards: No special protective measures necessary.

# **Environmental exposure controls**

Do not discharge into drains.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance: clear, colourless liquid

Odour: alcoholic

Odour threshold: no data available

pH (undiluted): 9.5 – 10.5 (20 °C)

Melting point/freezing point: no data available

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

Initial boiling point and boiling range: no data available

Flash point: 28 °C (EN ISO 2719:2002)

Evaporation rate: no data available Flammability (solid, gas): not applicable

Lower explosive limit: Propan-2-ol: 2 vol%
Upper explosive limit: Propan-2-ol: 13 vol%

Vapour pressure: no data available (... °C)

Vapour density: no data available

Relative density: 0.965 - 0.975 (20 °C)

Solubility in water: completely soluble Partition coefficient: not applicable

n-octanol/water

Auto-ignition temperature: not applicable

Decomposition temperature: no data available

Viscosity: no data available

Explosive properties: The product is not explosive. However, formation of explosive

vapour/air mixtures is possible.

Oxidising properties: none

9.2. Other information

Refractive index nD: 1.3509-1.3540 (20 °C) Electrical conductivity (undiluted):  $1100-1300 \mu S/cm$  (20 °C)

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reactions when handled and stored as intended.

### 10.2. Chemical stability

The product is stable when handled and stored as intended.

### 10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

### 10.4. Conditions to avoid

Keep away from heat and sources of ignition.

### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

Does not decompose when used as intended.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

### **Acute toxicity**

**Product** 

Acute toxicity - oral: Acute Toxicity Estimate  $ATE_{mix} > 2000 \text{ mg/kg}$ 

=> no classification

Acute toxicity - dermal: Acute Toxicity Estimate  $ATE_{mix} > 2000 \text{ mg/kg}$ 

=> no classification

Acute toxicity - inhalation: Acute Toxicity Estimate ATE<sub>mix</sub> > 20 mg/l

=> no classification

### Skin corrosion/irritation

**Product** 

No classification. [calculation method]

# Serious eye damage/irritation

**Product** 

Causes serious eye irritation. [calculation method]

### Respiratory or skin sensitisation

Product

No data available.

### Germ cell mutagenicity

**Product** 

No data available.

# Carcinogenicity

Product

No classification. [calculation method]

# Reproductive toxicity

Product

No data available.

# STOT-single exposure

**Product** 

No classification. [calculation method]

Ingredients

Propan-2-ol (CAS No: 67-63-0):

May cause drowsiness or dizziness.

# STOT-repeated exposure

Product

No data available.

### **Aspiration hazard**

**Product** 

No data available.

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No classification. [calculation method]

### 12.2. Persistence and degradability

Biodegradability:

The product is biodegradable according to OECD criteria. The statement has been derived from the properties of the ingredients.

# 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

#### 12.6. Other adverse effects

No data available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Disposal of the product

Product residues must be disposed of as hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not dispose of via the waste water. Leave product in the original container as possible. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues: 07 06 04\* other organic solvents, washing liquids and mother

liquors

### Disposal of the packaging

Packaging contaminated with product is considered as hazardous waste and must be disposed of accordingly.

Waste codes / waste designations according to EWC

Contaminated packaging: 15 01 10\* packaging containing residues of or contaminated by

hazardous substances

Recommendation

Contaminated packaging must be emptied optimally and can be recycled after appropriate cleaning (rinse with water).

### **SECTION 14: Transport information**

### 14.0. Transport classification

Dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0
Print date: 23.10.2020 Replaces version: 1.0

#### 14.1.UN number

UN 1987

### 14.2. UN proper shipping name

### ADR/RID/ADN

ALCOHOLS, N.O.S. (Isopropanol)

### IMDG-Code/ICAO-TI/IATA-DGR

ALCOHOLS, N.O.S. (Isopropanol)

### 14.3. Transport hazard class(es)

Class: 3
Subsidiary risk(s): -

### 14.4. Packing group

Ш

#### 14.5. Environmental hazards

### ADR/RID/ADN

Environmentally Hazardous: No

**IMDG-Code** 

Marine Pollutant: No

### 14.6. Special precautions for user

Not necessary.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### 14.8. Further information

Transport category according to ADR section 1.1.3.6: 3

Maximum total quantity per transport unit

according to ADR section 1.1.3.6: 1000 L

Limited quantity (Maximum quantity per inner

packaging) according to ADR/RID/ADN/IMDG-Code: 5 L Classification code according to ADR/RID/ADN: F1

Hazard identification number according to

ADR/RID: 30

Tunnel restriction code according to ADR/RID: Segregation group according to IMDG-Code

section 5.4.1.5.11.1: -

EmS codes: F-E, S-D

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

D/E

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020 Version: 2.0 Print date: 23.10.2020 Replaces version: 1.0

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer

not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants and amending Directive 79/117/EEC not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals not applicable

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

Hazard category	Qualifying quantity (tonnes) (lower-tier establishment)	Qualifying quantity (tonnes) (upper-tier establishment)	
P5c FLAMMABLE LIQUIDS	5.000	50.000	

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)

not applicable

REACH – List of substances subject to authorisation (Annex XIV)

not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work

not applicable

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

not applicable

# 15.2. Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

### **SECTION 16: Other information**

### 16.1. Full text of hazard classes and H-phrases

### **Hazard classes**

Eye Irrit. Eye irritation Flam. Liq. Flammable liquid

STOT SE Specific target organ toxicity (single exposure)

### H-phrases (Hazard statements)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** 

Issue/Revision: 09.04.2020Version: 2.0Print date: 23.10.2020Replaces version: 1.0

Accord européen relatif au transport international des marchandises dangereuses par voie de

### 16.2. Abbreviations and acronyms

ADN

	_ : _ : _ : _ : _ : _ : _ : _ : _ : _ :
	<u>n</u> avigation intérieure (European Agreement concerning the International Carriage of
	Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route
	(European Agreement concerning the International Carriage of Dangerous Goods by Road)
BGR	<u>Berufsgenossenschaftliche Regeln</u> (English: Employers' liability insurance association rules)
BS	<u>B</u> ritish <u>S</u> tandards
CAS	<u>C</u> hemical <u>A</u> bstracts <u>S</u> ervice
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
[DE]	National German regulations
DGUV	<u>D</u> eutsche <u>G</u> esetzliche <u>U</u> nfall <u>v</u> ersicherung (English: German statutory accident insurance)
EC	<u>European Community</u>
EEC	<u>European Economic Community</u>
EmS	Emergency Schedules (Emergency response procedures for ships carrying dangerous goods)
EN	European Standard
EU	<u>E</u> uropean <u>U</u> nion
EWC	<u>E</u> uropean <u>W</u> aste <u>C</u> atalogue
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
GMBI	<u>Gemeinsames Ministerialblatt</u> (English: Joint Ministerial Gazette)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous
	Chemicals in Bulk
ICAO-TI	Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG-Code International Maritime Code for Dangerous Goods LGK Lagerklasse (English: Storage class)

MARPOL International Convention for the Prevention of Marine Pollution from Ships

N.O.S. Not otherwise specified

OECD Organization for Economic Co-operation and Development

PBT <u>Persistent</u>, <u>b</u>ioaccumulative and <u>t</u>oxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID  $\underline{R}$ èglement concernant le transport  $\underline{I}$ nternational ferroviaire de marchandises  $\underline{D}$ angereuses

(Regulations Concerning the International Carriage of Dangerous Goods by Rail)

TRGS <u>Technische Regeln für Gefahrstoffe</u> (English: Technical Rules for Hazardous Substances)

UN <u>U</u>nited <u>N</u>ations

UTC Coordinated Universal Time (French: Temps Universel Coordonné)

vPvB <u>Very persistent and very bioaccumulative</u>

WGK <u>W</u>assergefährdungsklasse (English: water hazard class)

### 16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets; Version 2.1 (February 2014); <a href="http://echa.europa.eu/documents/10162/13643/sds">http://echa.europa.eu/documents/10162/13643/sds</a> en.pdf
- GISBAU (Hazardous substances information system of the BG BAU) course "safety data sheet";
   <a href="http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm">http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm</a>
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008 (04/2011);
  - http://echa.europa.eu/documents/10162/13562/clp labelling en.pdf
- European Chemicals Agency (ECHA), Registered substances;
   <a href="http://echa.europa.eu/information-on-chemicals/registered-substances">http://echa.europa.eu/information-on-chemicals/registered-substances</a>

# according to Regulation (EC) No 1907/2006



Trade name: **SteriCleaner** Issue/Revision: 09.04.2020

Issue/Revision: 09.04.2020Version: 2.0Print date: 23.10.2020Replaces version: 1.0

- European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; http://echa.europa.eu/information-on-chemicals/cl-inventory-database
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS database on hazardous substances and GESTIS International limit values for chemical agents; <a href="http://www.dguv.de/dguv/ifa/index.jsp">http://www.dguv.de/dguv/ifa/index.jsp</a>
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); <a href="http://webrigoletto.uba.de/rigoletto">http://webrigoletto.uba.de/rigoletto</a>

### 16.4. Training advice

Provide adequate information, instructions and training for users.

### 16.5. Indication of changes

A dash in the left hand margin indicates an amendment from the previous version.

The information given in the safety data sheet only applies to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does not constitute any guarantee of product properties and quality features.