according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: BIB forte eco

UFI: 8U1D-V8KM-K00W-74Q6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Cleaning and disinfecting agent

Intended purpose: Liquid concentrate free of aldehydes, phenols and QAC for

the non protein fixing cleaning and disinfection of medical and dental instruments, rotating precision instruments and

endoscopes.

Uses advised against: None at intended use.

Note: The product is intended for professional users.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH

Mooswiesenstraße 9

D-78112 St. Georgen (Germany) Telephone: +49 7725 9392-0 Telefax: +49 7725 9392-91 E-mail: info@alpro-medical.de Internet: www.alpro-medical.de

E-mail address for the competent person

responsible for the safety data sheet: doku@alpro-medical.de

1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0

Monday – Friday from 08:00 am to 04:30 pm (UTC+1); for chemical information and legal information on

hazardous substances only

Poison centre: +49 761 19240

Poisoning information centre, Freiburg, Germany

(24 h / 7 d), English is spoken

National Poisons Information Service (UK): +44 344 892 0111

National Poisons Information Service (NPIS) (24 h / 7 d), Medical Professionals Only

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data (Flash point)
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

2.2. Label elements

Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:



Signal word: Danger

Hazard components

for labelling: Amines, N-C12-14-alkyltrimethylenedi- (90640-43-0);

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9);

2-Aminoethanol (141-43-5);

Guanidine, N,N'''-1,3-propanediylbis-, N-coco alkyl derivatives

(98246-84-5)

H-phrases: H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH-phrases: EUH208 Contains piperazine, (R)-p-mentha-1,8-diene and

N-dodecylpropane-1,3-diamine. May produce an allergic reaction.

P-phrases: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII (see SECTION 12.5.)

The substances in the mixture have no endocrine disrupting properties according to Regulation (EC) No 1907/2006, Annex XIV (see SECTION 11 and SECTION 12.6.).

The substances in the mixture are below the declaration limit for substances on the list of substances of very high concern according to Regulation (EC) No 1907/2006, Article 59, paragraph 10)

No further hazards known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Chemical characterisation: Mixture of substances listed below with non-hazardous additions in

aqueous solution.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Hazardous ingredients

Chemical name	Identification numbers	Classification in accordance with Regulation (EC) No 1272/2008	Weight %
Propan-2-ol	CAS No: 67-63-0 EC No: 200-661-7 Index No: 603-117-00-0 REACH Registration No: 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	≥5-<15
Amines, N-C12-14- alkyltrimethylene-di-	CAS No: 90640-43-0 EC No: 292-562-0 REACH Registration No: 01-2119957843-25-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor acute: 100 M-Factor chronic: 1 ATE:	≥5-<15
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS No: 2372-82-9 EC No: 219-145-8 REACH Registration No: 01-2119980592-29-XXXX	LD50 oral: 200 mg/kg bw Acute Tox. 3; H301 Skin Corr. 1B; H314 STOT RE 2; H373 (kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor acute: 10 ATE: LD50 oral: 261 mg/kg bw	≥1-<5
2-(2-Butoxyethoxy) ethanol	CAS No: 112-34-5 EC No: 203-961-6 Index No: 603-096-00-8 REACH Registration No: 01-2119475104-44-XXXX	Eye Irrit. 2; H319	≥1-<5
2-Aminoethanol	CAS No: 141-43-5 EC No: 205-483-3 Index No: 603-030-00-8 REACH Registration No: 01-2119486455-28-XXXX	Acute Tox. 4; H332 Acute Tox. 4; H312 Acute Tox. 4; H302 Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Chronic 3; H412 Specific concentration limits:	≥1-<5
		STOT SE 3; H335: $C \ge 5$ ATE: LD_{50} oral: 1089 mg/kg bw LD_{50} dermal: 2504 mg/kg bw LC_{50} inhalation: > 1.3 mg/L air; vapour	
Guanidine, N,N'''-1,3- propanediyl-bis-, N- coco alkyl derivatives	CAS No: 98246-84-5 EC No: 308-757-1 REACH Registration No: 01-2120761537-47-XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Aquatic Acute 1; H410 M-Factor acute: 10 M-Factor chronic: 1 ATE: LD50 oral: 500 mg/kg bw	≥1-<5

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Edetic acid;	CAS No: 60-00-4	Acute Tox. 4; H332	≥1-<5
(EDTA)	EC No: 200-449-4	Eye Irrit. 2; H319	
, ,	Index No: 607-429-00-8	STOT RE 2; H373	
	REACH Registration No:	ATE:	
	01-2119486399-18-XXXX	LOAEC inhalation: 30 mg/m³ air	
Piperazine	CAS No: 110-85-0	Flam. Sol. 1; H228	≥ 0.2 - < 1
	EC No: 203-803-3	Skin Corr. 1B; H314	
	Index No: 612-057-010-4	Resp. Sens. 1B; H334	
	REACH Registration No:	Skin Sens. 1B; H317	
	01-2119480384-35-XXXX	Repr. 2; H361fd	
N-dodecylpropane-1,3-	CAS No: 5538-95-4	Acute Tox. 4; H302	≤ 0.5
diamine	EC No: 226-902-6	Skin Corr. 1; H314	
	REACH Registration No:	Skin Sens. 1; H317	
	01-2120862678-37-XXXX	Aquatic Acute 1; H400	
		ATE:	
		LD ₅₀ oral: 300 – 2000 mg/kg bw	
(R)-p-mentha-1,8-	CAS No: 5989-27-5	Flam. Liq. 3; H226	≤ 0.1
diene	EC No: 227-813-5	Asp- Tox. 1; H304	
	Index No: 601-096-00-2	Skin Irrit. 2; H315	
	REACH Registration No:	Skin Sens. 1; H317	
	01-2119529223-47-XXXX	Aquatic Acute 1; H400	
		Aquatic Acute 1; H410	
		M-Factor acute: 1	

Full text of hazard classes and H-phrases: see SECTION 16.1.

Occupational exposure limits: see SECTION 8.1.

ATE values: see SECTION 11.1

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!

Remove contaminated, saturated clothing immediately.

Following inhalation: Move affected person into fresh air and keep still and warm. Seek medical

advice.

Following skin contact: Wash skin immediately with plenty of water and soap. In case of skin

reactions, consult a physician.

Following eye contact: Flush eyes immediately with flowing water for 10 to 15 minutes holding

eyelids apart. Remove contact lenses, if present and easy to do. Consult an

ophthal mologist.

Following ingestion: Rinse mouth with water. Let drink only a few sips of water (foaming

product). Do not induce vomiting (risk of aspiration and perforation).

Consult a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. Harmful if swallowed. Harmful: May cause damage to organs through prolonged or repeated exposure if swallowed. May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder,

carbon dioxide (CO₂)

Unsuitable extinguishing media: Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO₂), nitrogen oxides (NO_x)

5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet. Collect

contaminated fire extinguishing water separately. Do not discharge

into drains or rivers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protective equipment.

Avoid skin and eye contact. Do not breathe vapours. Remove all sources of ignition. Provide adequate ventilation. Special danger of slipping by leaked/spilled product. Evacuate danger area. Observe emergency plans. Consult experts.

For emergency responders

Use personal protective equipment.

6.2. Environmental precautions

Do not discharge into drains or surface and ground water.

6.3. Methods and material for containment and cleaning up

Containment

For large spills, dyke spilled material or otherwise contain material to ensure runoff does not reach a waterway. Cover or seal drains.

Cleaning up

Wipe up small amounts with absorbent material (e.g. cloth, fleece). Absorb large amounts with liquid-binding material (sand, diatomaceous earth, universal binder, sawdust). Collect in suitable, closed containers for disposal. Clean contaminated surfaces thoroughly.

Other information

Inappropriate containment and cleaning methods are not known.

6.4. Reference to other sections

Information on safe handling see SECTION 7.1.
Information on personal protective equipment see SECTION 8.2.
Information on disposal see SECTION 13.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions

Avoid contact with skin and eyes. Avoid breathing aerosols and vapours. Keep away from sources of ignition. Keep container tightly closed. Fill refill packages only in labelled original bottles. Keep disinfection tray with ready-to-use solution covered.

Do not mix with acids, products containing aldehydes or other cleaners or disinfectants.

Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from medicines, food, feed, cosmetics and stimulants.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep only in the original container. Keep container tightly

closed and kept upright to prevent any leakage.

Advice on common storage: Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions: Store between -10 °C and 30 °C.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

Industry and sector specific guidance

- [DE] TRGS 525 Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue: September 2014; source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63]; 10.07.2015 [No 27]; www.baua.de
- [DE] DGUV rules 207-206 Prevention of chemical risks when handling disinfectants in health service, Issue: 2016.12; source: www.dguv.de/publikationen

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

		Limit	values			
Country	Long term	n (8 hours)	Short to	erm (15	Legal	Remarks
Country			min	utes)	basis	Kemarks
	ppm	mg/m³	ppm	mg/m³		
Propan-2-ol (CAS no: 67-6	53-0)				
EU						no limit value specified
UK	400	999	500	1250	EH40	
2-Aminoethai	anol (CAS no: 141-43-5)					
EU	1	2.5	3	7.6	2006/15/EC	Skin
UK	1	2.5	3	7.6	EH40	Sk
2-(2-Butoxyet	:hoxy) ethan	ol (CAS no: 1	L12-34-5)			
EU	10	67.5	15	101.2	2006/15/EC	-
UK	10	67.5	15	101.2	EH40	
Piperazine (C/	AS No: 110-8	35-0)				
EU		0.1		0.3	2000/39/EC	-
UK		0.1		0.3	EH40	Sen

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

N-(3-Aminopi	opyl)-N-dod	ecylpropan-	1,3-diamin (CAS no.: 237	72-82-9)	
EU						no limit value specified
UK						no limit value specified
(R)-p-mentha	-1,8-diene (0	CAS no.: 5989	9-27-5)			
EU						no limit value specified
UK						no limit value specified

Used abbreviations, symbols, numerals and explanations

- Skin A significant uptake of the substance through the skin is possible.
- Sen Capable of causing occupational asthma. See paragraphs 53–56.
- Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

Biological limit values

Country	Parameter	Limit value	Test material	Sampling time	Legal basis
Propan-2-ol (CAS No: 67-63-0)			
	Acetone	25 mg/l	Whole	End of exposition, resp. end of shift	TRGS 903
Germany			blood		
	Acetone	25 mg/l	Urine	End of exposition, resp. end of shift	TRGS 903

Information on monitoring procedures

BS EN 482:2021-04; Title: Workplace exposure - Procedures for the determination of the concentration of chemical agents;
British version of EN 482:2021

BS EN 689:2018; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy; British version of EN 689:2018

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents; British version of EN 14042:2003)

CEN/TR 17055:2017; Title: Workplace exposure. Measurement of chemical agents complying with the requirements given in EN 482 and either one of EN 838, EN 1076, EN 13205, EN 13890 and EN 13936. Choice of procedures

ISO TR 14294:2011; Title: Workplace atmospheres. Measurement of dermal Exposure. Principles and methods

8.2. Exposure controls

Appropriate engineering controls

Technical and organisational protective measures

The eyewash station (or eyewash bottle) and emergency shower must be located near the workplace.

Personal protective equipment

Eye/face protection: Safety glasses with side protection according to BS EN 166

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Skin protection:

Hand protection: Protective gloves according to BS EN 374-1 and BS EN 21420

Splash guard:

Protective gloves: type C; permeation-resistant at least 10 minutes

Permanent contact (> 480 min):

Protective gloves: type A or B; code letters: A, H, I, G, O

permeation-resistant at least 30 minutes

Other skin protection: Long-sleeved protective clothing (lab coat)

Respiratory protection: Not necessary when used as intended.

Thermal hazards: No special protective measures necessary.

Environmental exposure controls

Do not discharge into drains, see SECTION 6. Information on disposal see SECTION 13.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance/physical state: clear, blue liquid

Odour: characteristic, like amine

Odour threshold: not relevant

Melting point/freezing point: < - 18 °C (inhouse test)

Initial boiling point and boiling range: > 82 °C (lowest boiling point

of the raw materials included)

Flammability: flammable liquid and vapour

Lower explosive limit: Propan-2-ol: 2 vol%

Upper explosive limit: Propan-2-ol: 13 vol%

Flash point: 32 °C (EN ISO 2719:2002)

Auto-ignition temperature: > 350 °C (lowest auto-ignition

temperature of the raw materials included)

pH (undiluted): 10.0 – 11.0 (20 °C)

Kinematic viscosity: not applicable for aqueous solutions

Solubility in water: completely soluble

Partition coefficient: not applicable for mixtures

n-octanol/water

Vapour pressure: 43 hPa (20 °C, vapor pressure of the

most volatile raw material)

Density: $0.970 - 0.990 \text{ g/cm}^3$ (20 °C)

Relative vapour density: not relevant Particle characteristics: no solid

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosive substances/mixtures and products containing

explosives: The product is not explosive. However,

formation of explosive vapour/air

mixtures is possible.

not applicable Flammable gases: Aerosols: not applicable Oxidising gases: not applicable Gases under pressure: not applicable Flammable liquids: not applicable Flammable solids: not applicable Self-reactive substances and mixtures: not applicable Pyrophoric liquids: not applicable Pyrophoric solids: not applicable Self-heating substances and mixtures: not applicable

Substances and mixtures, which emit flammable gases

in contact with water:

Oxidising liquids:

Oxidising solids:

Organic peroxides:

not applicable
not applicable
not applicable

Substances and mixtures corrosive to metals: Limited material compatibility

with aluminium

Desensitised explosives: not applicable

9.2.2. Other safety characteristics

Electrical conductivity (undiluted): 3500-4000 μS/cm (20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with acids and aldehydes.

10.2. Chemical stability

The product is stable when handled and stored as intended.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air. Reacts with acids and aldehydes.

10.4. Conditions to avoid

Keep away from heat and sources of ignition.

10.5. Incompatible materials

Limited material compatibility with silicones, rubber, aluminium and in the ultrasonic bath colour markings.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

10.6. Hazardous decomposition products

Does not decompose when used as intended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product

Acute toxicity - oral: Acute Toxicity Estimate ATE_{mix} = 1860 mg/kg

=> Harmful if swallowed.

Acute toxicity - dermal: Acute Toxicity Estimate ATE_{mix} > 2000 mg/kg

=> no classification

Acute toxicity - inhalation: Acute Toxicity Estimate $ATE_{mix} > 20 \text{ mg/l}$

=> no classification

Ingredients

Amines, N-C12-14-alkyltrimethylenedi- (CAS no: 90640-43-0):

Acute toxicity - oral: LD₅₀: 200 mg/kg; species: rat; strain: HsdRccHan: WIST (SPF);

method: OECD 423

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS no: 2372-82-9):

Acute toxicity - oral: LD₅₀: 261 mg/kg; species: rat; strain: Sprague-Dawley;

method: OECD 401

2-Aminoethanol (CAS no: 141-43-5):

Acute toxicity - oral: LD50: 1089 mg/kg; species: rat; strain: Sprague-Dawley; method:

OECD 401

Acute toxicity - dermal: LD50: 2504 mg/kg bw; species: rabbit; strain: New Zealand White;

method: OECD 402

Acute toxicity - inhalation: LC₅₀: > 1.3 mg/l air; species: rat; strain: Sprague-Dawley; 6 h; vapour

Guanidine, N,N"'-1,3-propanediylbis-, N-coco alkyl derivatives (CAS no: 98246-84-5):

Acute toxicity - oral: LD₅₀: 500 mg/kg bw; species: rat; strain: Wistar; method: OECD 401

Edetic acid (EDTA): (CAS no: 60-00-4):

Acute toxicity - inhalation: LOAEC: 30 mg/m³ air; species: rat; strain: Wistar; 6 h; method:

OECD 412

N-dodecylpropane-1,3-diamine (CAS no.: 5538-95-4):

Acute toxicity - oral: LD_{50} oral: 300 - 2000 mg/kg bw.

Skin corrosion/irritation

Product

Causes severe skin burns. [calculation method]

Serious eye damage/irritation

Product

Causes serious eye damage. [calculation method]

Respiratory or skin sensitisation

Product

Contains piperazine, (R)-p-mentha-1,8-diene and N-dodecylpropane-1,3-diamine. May produce an allergic reaction. [calculation method]

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Ingredients

Piperazine (CAS no.: 110-85-0):

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(R)-p-mentha-1,8-diene (CAS no.: 5989-27-5):

May cause an allergic skin reaction.

N-dodecylpropane-1,3-diamine (CAS no.: 5538-95-4):

May cause an allergic skin reaction.

Germ cell mutagenicity

Product

No data available.

Carcinogenicity

Product

No data available.

Reproductive toxicity

Product

No classification. [calculation method]

Ingredients

Piperazine (CAS no: 110-85-0):

Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure

Product

No classification. [calculation method]

Ingredients

Propan-2-ol (CAS no: 67-63-0):

May cause drowsiness or dizziness.

2-Aminoethanol (CAS no: 141-43-5):

May cause respiratory irritation.

STOT-repeated exposure

Product

May cause damage to organs through prolonged or repeated exposure if swallowed. [calculation method]

Ingredients

Amines, N-C12-14-alkyltrimethylenedi- (CAS No: 90640-43-0):

NOAEL: 0.4 mg/kg/day; Application Route: Gavage; species: rat (male/female)

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS No: 2372-82-9):

NOAEL: 4 mg/kg/day; Application Route: Food; Exposure period: 52 w; species: rat NOAEL: 8 mg/kg/day; Application Route: Food; Exposure period: 90 d; species: dog LOAEL: 5 mg/kg/day; Application Route: Skin; Exposure period: 90 d; species: rat

Edetic acid (EDTA): (CAS no: 60-00-4):

NOAEL: 500 mg/kg bw/day; Application Route: Food; species: mouse (male/female)

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Aspiration hazard

Product

No classification. [calculation method]

Ingredients

(R)-p-mentha-1,8-diene (CAS no.: 5989-27-5): May be fatal if swallowed and enters airways.

Information on other hazards

Endocrine disrupting properties:

No substances are contained that have endocrine disrupting properties for humans.

SECTION 12: Ecological information

12.1. Toxicity

Product

Very toxic to aquatic life. [calculation method]

Toxic to aquatic life with long lasting effects. [calculation method]

Ingredients

Amines, N-C12-14-alkyltrimethylenedi- (CAS no: 90640-43-0):

PNEC agua (freshwater): PNEC value: 3.2 µg/L; assessment factor: 10; extrapolation method:

assessment factor; PNEC freshwater (intermittent releases):

 $0.65 \mu g/L$

PNEC aqua (marine water): PNEC value: 0.32 µg/L; assessment factor: 100; extrapolation

method: assessment factor

PNEC STP: PNEC value: 0.205 mg/L; assessment factor: 100; extrapolation

method: assessment factor

PNEC sediment (freshwater): PNEC value: 1.72 mg/kg sediment dw; assessment factor: 50;

extrapolation method: assessment factor

PNEC sediment (marine water): PNEC value: 0.172 mg/kg sediment dw; assessment factor: 500;

extrapolation method: assessment factor

PNEC soil: PNEC value: 10 mg/kg soil dw; assessment factor: 100;

extrapolation method: assessment factor

PNEC predators: PNEC value: $89 \mu g/kg$ food dw; assessment factor: 90

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS no: 2372-82-9):

PNEC aqua (freshwater): PNEC value: 0.001 mg/L; assessment factor: 10; extrapolation

method: assessment factor; PNEC freshwater (intermittent

releases) 0 mg/L

PNEC aqua (marine water): PNEC value: 0 mg/L; assessment factor: 100;

PNEC STP: PNEC value: 0.18 mg/L; assessment factor: 100; extrapolation

method: assessment factor

PNEC sediment (freshwater): PNEC value: 3.2 mg/kg sediment dw; assessment factor: 100;

extrapolation method: assessment factor

PNEC sediment (marine water): PNEC value: 0.13 mg/kg sediment dw; assessment factor: 1000;

extrapolation method: assessment factor

PNEC soil: PNEC value: 45.34 mg/kg soil dw; assessment factor: 50;

extrapolation method: assessment factor

2-Aminoethanol (CAS no: 141-43-5):

PNEC aqua (freshwater): PNEC value: 0.07 mg/L; assessment factor 10; extrapolation

method:assessment factor; PNEC freshwater

(intermittent releases) 0.028 mg/L.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

PNEC aqua (marine water): PNEC value: 0.007 mg/L; assessment factor 100;

extrapolation method: assessment factor

PNEC STP: PNEC value: 100 mg/L; assessment factor 10;

extrapolation method: assessment factor

PNEC sediment (freshwater): PNEC value: 0.357 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC sediment (marine water): PNEC value 0.036 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC soil: PNEC value: 1.29 mg/kg soil dw; assessment factor 1000;

extrapolation method: assessment factor

Guanidine, N,N"'-1,3-propanediyl-bis-, N-coco alkyl derivatives (CAS no: 98246-84-5):

PNEC aqua (freshwater): PNEC value: 0.4 µg/L; assessment factor: 10; extrapolation method:

assessment factor; freshwater (intermittent releases) 0.2 µg/L

PNEC aqua (marine water): PNEC value: 0.04 µg/L; assessment factor: 100 PNEC STP: PNEC value: 1 mg/L; assessment factor: 10

PNEC sediment (freshwater): PNEC value: 10 mg/kg sediment dw; assessment factor: 100 PNEC sediment (marine water): PNEC value: 1 mg/kg sediment dw; assessment factor: 1000 PNEC soil: PNEC value: 3.7 mg/kg soil dw; assessment factor: 10

(R)-p-mentha-1,8-diene (CAS no: 5989-27-5):

PNEC aqua (freshwater): PNEC value: 14 µg/L; assessment factor: 10; extrapolation method:

assessment factor

PNEC aqua (marine water): PNEC value: 1.4 µg/L; assessment factor: 100; extrapolation

method: assessment factor

PNEC STP: PNEC value: 1.8 mg/L; assessment factor: 10; extrapolation

method: assessment factor

PNEC sediment (freshwater): PNEC value: 3.85 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC sediment (marine water): PNEC value: 0.385 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC soil: PNEC value: 0.763 mg/kg soil dw; extrapolation method:

equilibrium partitioning method

PNEC predators: PNEC value: 133 mg/kg food dw; assessment factor: 30;

N-dodecylpropane-1,3-diamine (CAS no: 5538-95-4):

No data available.

12.2. Persistence and degradability

Biodegradability:

Product

No data available.

Ingredients

Amines, N-C12-14-alkyltrimethylenedi- (CAS no: 90640-43-0):

Readily biodegradable according to OECD criteria (conclusion by analogy).

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS no: 2372-82-9):

Readily biodegradable according to OECD criteria.

2-Aminoethanol (CAS no: 141-43-5):

Readily biodegradable according to OECD criteria.

Guanidine, N,N"'-1,3-propanediyl-bis-, N-coco alkyl derivatives (CAS no: 98246-84-5):

Readily biodegradable according to OECD criteria.

(R)-p-mentha-1,8-diene (CAS no: 5989-27-5):

Readily biodegradable according to OECD criteria.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

N-dodecylpropane-1,3-diamine (CAS no: 5538-95-4):

No data available.

12.3. Bioaccumulative potential

Product

No data available.

Ingredients

Amines, N-C12-14-alkyltrimethylenedi- (CAS no: 90640-43-0):

Low potential for bioaccumulation (conclusion by analogy).

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS no: 2372-82-9):

No potential for bioaccumulation. Log Kow (Log Pow): 0.34 at 20 °C

2-Aminoethanol (CAS no: 141-43-5):

No potential for bioaccumulation.

Guanidine, N,N"'-1,3-propanediyl-bis-, N-coco alkyl derivatives (CAS no: 98246-84-5):

No potential for bioaccumulation.

(R)-p-mentha-1,8-diene (CAS no: 5989-27-5):

BCF (water species): 690.1 l/kg ww

The BCF is considered an endpoint that defines the bioaccumulation potential of the substance.

N-dodecylpropane-1,3-diamine (CAS no: 5538-95-4):

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

No substances are contained that have endocrine disrupting properties for non-target organisms

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal of the product

Product residues must be disposed of as hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not dispose of via the waste water. Leave product in the original container as possible. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues: 07 06 01* aqueous washing liquids and mother liquors

Disposal of the packaging

Packaging contaminated with product is considered as hazardous waste and must be disposed of accordingly.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Waste codes / waste designations according to EWC

Contaminated packaging: 15 01 10* packaging containing residues of or contaminated by

hazardous substances

Recommendation

Contaminated packaging must be emptied optimally and can be recycled after appropriate cleaning (rinse with water).

From dilution to 0.5 % the concentrate is no longer classified as a hazardous substance.

SECTION 14: Transport information

14.0. Transport classification

Dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

14.1. UN number

UN 2924

14.2. UN proper shipping name

ADR/RID/ADN

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Laurylpropylenediamine)

IMDG-Code/ICAO-TI/IATA-DGR

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Laurylpropylenediamine)

14.3. Transport hazard class(es)

Class: 3
Subsidiary risk(s): (8)

14.4. Packing group

ш

14.5. Environmental hazards

ADR/RID/ADN

Environmentally Hazardous: Yes

IMDG-Code

Marine Pollutant: Yes

14.6. Special precautions for user

Not necessary.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

14.8. Further information

Transport category according to ADR section 1.1.3.6: 3

Maximum total quantity per transport unit

according to ADR section 1.1.3.6: 1000 L

Limited quantity (Maximum quantity per inner

packaging) according to ADR/RID/ADN/IMDG-Code: 5 L Classification code according to ADR/RID/ADN: FC

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

Hazard identification number according to

ADR/RID: 38

Tunnel restriction code according to ADR/RID: D/E

Segregation group according to IMDG-Code

section 5.4.1.5.11.1: IMDG-Code- Segregation group 18 – alkalis

EmS codes: F-E, S-C

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer

not applicable

REGULATION (EC) No 2019/1021 on persistent organic pollutants

not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals

not applicable

REGULATION (EU) No 648/2004 on detergents

Cationic surfactants: < 5 % Nonionic surfactants: < 5 %

EDTA: < 5 % Disinfectants Perfumes

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

Hazard category	Qualifying quantity (tonnes)	Qualifying quantity (tonnes)
	(lower-tier establishment)	(upper-tier establishment)
P5c FLAMMABLE LIQUIDS	5,000	50,000
E1 ENVIRONMENTAL	100	200
HAZARDS		

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content: < 16 %

REACH - List of substances subject to authorisation (Annex XIV)

not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work

Observe employment restrictions for juveniles.

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

Observe employment restrictions for pregnant and nursing mothers.

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

15.2. Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

SECTION 16: Other information

16.1. Full text of hazard classes and H-phrases

Hazard classes

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic hazard
Aquatic Chronic Long-term aquatic hazard

Asp. Tox. Aspiration hazard

Eye Irrit. Eye irritation

Flam. Liq. Flammable liquid

Repr. Reproductive toxicity

Resp. Sens. Respiratory sensitization

Skin Corr. Skin corrosion
Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity (repeated exposure)
STOT SE Specific target organ toxicity (single exposure)

H-phrases (Hazard statements)

 •	•
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or>
H373	May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or>
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

16.2. Abbreviations and acronyms

H412

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de
	navigation intérieure (European Agreement concerning the International Carriage of
	Dangerous Goods by Inland Waterways)

Harmful to aquatic life with long lasting effects.

ADR <u>Accord européen relatif au transport international des marchandises d</u>angereuses par <u>r</u>oute (European Agreement concerning the International Carriage of Dangerous Goods by Road)

according to Regulation (EC) No 1907/2006



Tradename: BIB forte eco Version: 3.2 Issue/Revision: 02.04.2024 Replaces Version: 3.1

BS British Standard

CAS **Chemical Abstracts Service**

Regulation on Classification, Labelling and Packaging of Substances and Mixtures CLP

[DE] **National German regulations**

DGUV <u>Deutsche Gesetzliche Unfallversicherung</u> (English: German statutory accident insurance)

European Community EC

EEC European Economic Community

EmS Emergency Schedules (Emergency response procedures for ships carrying dangerous goods)

ΕN **European Standard** EU **European Union**

EWC European Waste Catalogue

GMBI Gemeinsames Ministerial blatt (English: Joint Ministerial Gazette) IATA-DGR <u>International Air Transport Association - Dangerous Goods Regulations</u> Technical Instructions For The Safe Transport of Dangerous Goods by Air ICAO-TI

IMDG-Code International Maritime Code for Dangerous Goods

 LC_{50} Median lethal concentration

Median lethal dose LD_{50}

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level **NOAEL** No Observed Adverse Effect Level

OECD Organization for Economic Co-operation and Development

PBT Persistent, bioaccumulative and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses

(Regulations Concerning the International Carriage of Dangerous Goods by Rail)

TRGS Technische Regeln für Gefahrstoffe (English: Technical Rules for Hazardous Substances)

UN **United Nations**

UTC Coordinated Universal Time (French: Temps Universel Coordonné)

VOC Volatile Organic Compounds

vPvB Very persistent and very bioaccumulative

16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets; Version 4.0 (December 2022); https://echa.europa.eu/documents
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008; Version 4.2 (03/2021); https://echa.europa.eu/documents
- European Chemicals Agency (ECHA), Registered substances;
 - https://echa.europa.eu/information-on-chemicals/registered-substances European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory;
 - https://echa.europa.eu/information-on-chemicals/cl-inventory-database
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS database on hazardous substances and GESTIS - International limit values for chemical agents; https://www.dguv.de/ifa/index.jsp
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); https://webrigoletto.uba.de/rigoletto

according to Regulation (EC) No 1907/2006



Tradename: **BIB forte** *eco*Issue/Revision: 02.04.2024

Version: 3.2

Replaces Version: 3.1

16.4. Methods according to Article 9 of Regulation (EC) No 1272/2008 for the evaluation of information for classification purposes

Calculation method according to the criteria in Annex I 1272/2008.

Flash point according to EN ISO 2719:2002.

pH value measurement.

Material compatibility and corrosiveness in practical tests

16.5. Training advice

Provide adequate information, instructions and training for users.

16.6. Indication of changes

A dash in the left hand margin indicates an amendment from the previous version.

The information given in the safety data sheet only apply to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does constitute any guarantee of product properties and quality features.